

# Black Nylon & Glass Filled Nylon Barb Fittings



Advanced Fittings & Tubing Technology

Eldon James



## Equal Leg Couplers

ISO 9001

**Black Nylon**  
Good Tensile Strength

Size	Part Number
1/16"	CO-1 BN
3/32"	CO-1.5 BN
1/8"	CO-2 BN
5/32"	CO-2.5 BN
3/16"	CO-3 BN
1/4"	CO-4 BN

**Black Nylon**  
Good Tensile Strength

Size	Part Number
5/16"	CO-5 BN
3/8"	CO-6 BN
1/2"	CO-8 BN
5/8"	CO-10 BN
3/4"	CO-12 BN
1"	CO-16 BN

**Glass-Filled Black Nylon**  
Excellent Tensile Strength & Impact Resistant

Size	Part Number
5/32"	CO-2.5 GFBN
3/16"	CO-3 GFBN
1/4"	CO-4 GFBN
5/16"	CO-5 GFBN
3/8"	CO-6 GFBN
1/2"	CO-8 GFBN

**Glass-Filled Black Nylon**  
Excellent Tensile Strength & Impact Resistant

Size	Part Number
5/8"	CO-10 GFBN
3/4"	CO-12 GFBN
1"	CO-16 GFBN



## Reduction Couplers

ISO 9001

**Black Nylon**  
Good Tensile Strength

Size	Part Number
3/32" x 1/16"	C1.5-1 BN
1/8" x 1/16"	C2-1 BN
1/8" x 3/32"	C2-1.5 BN
5/32" x 1/8"	C2.5-2 BN
3/16" x 1/8"	C3-2 BN
1/4" x 1/8"	C4-2 BN
1/4" x 5/32"	C4-2.5 BN
1/4" x 3/16"	C4-3 BN
5/16" x 1/4"	C5-4 BN
3/8" x 1/4"	C6-4 BN
3/8" x 5/16"	C6-5 BN
1/2" x 1/4"	C8-4 BN

**Black Nylon**  
Good Tensile Strength

Size	Part Number
1/2" x 5/16"	C8-5 BN
1/2" x 3/8"	C8-6 BN
5/8" x 1/4"	C10-4 BN
5/8" x 5/16"	C10-5 BN
5/8" x 3/8"	C10-6 BN
5/8" x 1/2"	C10-8 BN
3/4" x 3/8"	C12-6 BN
3/4" x 1/2"	C12-8 BN
3/4" x 5/8"	C12-10 BN
1" x 1/2"	C16-8 BN
1" x 5/8"	C16-10 BN
1" x 3/4"	C16-12 BN

**Glass-Filled Black Nylon**  
Excellent Tensile Strength & Impact Resistant

Size	Part Number
5/32" x 1/8"	C2.5-2 GFBN
3/16" x 1/8"	C3-2 GFBN
1/4" x 1/8"	C4-2 GFBN
1/4" x 5/32"	C4-2.5 GFBN
1/4" x 3/16"	C4-3 GFBN
5/16" x 1/4"	C5-4 GFBN
3/8" x 1/4"	C6-4 GFBN
3/8" x 5/16"	C6-5 GFBN
1/2" x 1/4"	C8-4 GFBN
1/2" x 5/16"	C8-5 GFBN
1/2" x 3/8"	C8-6 GFBN
5/8" x 1/4"	C10-4 GFBN

**Glass-Filled Black Nylon**  
Excellent Tensile Strength & Impact Resistant

Size	Part Number
5/8" x 5/16"	C10-5 GFBN
5/8" x 3/8"	C10-6 GFBN
5/8" x 1/2"	C10-8 GFBN
3/4" x 3/8"	C12-6 GFBN
3/4" x 1/2"	C12-8 GFBN
3/4" x 5/8"	C12-10 GFBN
1" x 1/2"	C16-8 GFBN
1" x 5/8"	C16-10 GFBN
1" x 3/4"	C16-12 GFBN

### Glass-Filled Black Nylon Fittings Features

- Heat resistant to temperatures of up to 275°F (135°C)
- Anti-rotation device reduces stress and wear caused by hose rotation on
- Manufactured from materials approved by major automotive manufacturers
- Bulkhead on barb shaft helps gauge optimum insertion depth into the hose
- Glass fibre reinforcement significantly increases impact resistance



## Equal Barbed Elbows

ISO 9001

**Black Nylon**  
Good Tensile Strength

Size	Part Number
1/16"	LO-1 BN
3/32"	LO-1.5 BN
1/8"	LO-2 BN
5/32"	LO-2.5 BN
3/16"	LO-3 BN
1/4"	LO-4 BN

**Black Nylon**  
Good Tensile Strength

Size	Part Number
5/16"	LO-5 BN
3/8"	LO-6 BN
1/2"	LO-8 BN
5/8"	LO-10 BN
3/4"	LO-12 BN
1"	LO-16 BN

**Glass-Filled Black Nylon**  
Excellent Tensile Strength & Impact Resistant

Size	Part Number
5/32"	LO-2.5 GFBN
3/16"	LO-3 GFBN
1/4"	LO-4 GFBN
5/16"	LO-5 GFBN
3/8"	LO-6 GFBN
1/2"	LO-8 GFBN

**Glass-Filled Black Nylon**  
Excellent Tensile Strength & Impact Resistant

Size	Part Number
5/8"	LO-10 GFBN
3/4"	LO-12 GFBN
1"	LO-16 GFBN



## Reduction Elbows

ISO 9001

**Black Nylon**  
Good Tensile Strength

Size	Part Number
3/32" x 1/16"	RL1.5-1 BN
1/8" x 1/16"	RL2-1 BN
1/8" x 3/32"	RL2-1.5 BN
3/8" x 1/4"	RL6-4 BN
1/2" x 3/8"	RL8-6 BN

**Glass-Filled Black Nylon**  
Excellent Tensile Strength & Impact Resistant

Size	Part Number
3/8" x 1/4"	RL6-4 GFBN
1/2" x 3/8"	RL8-6 GFBN



## Y Connectors

ISO 9001

**Black Nylon**  
Good Tensile Strength

Size	Part Number
1/8"	Y0-2 BN
3/16"	Y0-3 BN
1/4"	Y0-4 BN
3/8"	Y0-6 BN
1/2"	Y0-8 BN
5/8"	Y0-10 BN

**Glass-Filled Black Nylon**  
Excellent Tensile Strength & Impact Resistant

Size	Part Number
1/8"	Y0-2 GFBN
3/16"	Y0-3 GFBN
1/4"	Y0-4 GFBN
3/8"	Y0-6 GFBN
1/2"	Y0-8 GFBN
5/8"	Y0-10 GFBN



## Equal Barb Tees

ISO 9001

**Black Nylon**  
Good Tensile Strength

Size	Part Number
1/16"	TO-1 BN
3/32"	TO-1.5 BN
1/8"	TO-2 BN
5/32"	TO-2.5 BN
3/16"	TO-3 BN
1/4"	TO-4 BN

**Black Nylon**  
Good Tensile Strength

Size	Part Number
5/16"	TO-5 BN
3/8"	TO-6 BN
1/2"	TO-8 BN
5/8"	TO-10 BN
3/4"	TO-12 BN
1"	TO-16 BN

**Glass-Filled Black Nylon**  
Excellent Tensile Strength & Impact Resistant

Size	Part Number
5/32"	TO-2.5 GFBN
3/16"	TO-3 GFBN
1/4"	TO-4 GFBN
5/16"	TO-5 GFBN
3/8"	TO-6 GFBN
1/2"	TO-8 GFBN

**Glass-Filled Black Nylon**  
Excellent Tensile Strength & Impact Resistant

Size	Part Number
5/8"	TO-10 GFBN
3/4"	TO-12 GFBN
1"	TO-16 GFBN



## Reduction Barbed Tees

ISO 9001

**Black Nylon**  
Good Tensile Strength

Body(2) x Leg (1)	Part Number
3/32" x 1/16"	RT1.5-1 BN
1/8" x 1/16"	RT2-1 BN
1/8" x 3/32"	RT2-1.5 BN
5/32" x 3/8"	RT2.5-6 BN
1/4" x 3/8"	RT4-6 BN

**Black Nylon**  
Good Tensile Strength

Body(2) x Leg (1)	Part Number
1/2" x 3/8"	RT8-6 BN
5/8" x 3/8"	RT10-6 BN
3/4" x 3/8"	RT12-6 BN
3/4" x 1/2"	RT12-8 BN
1" x 5/8"	RT16-10 BN

**Glass-Filled Black Nylon**  
Excellent Tensile Strength & Impact Resistant

Body(2) x Leg (1)	Part Number
5/32" x 3/8"	RT2.5-6 GFBN
1/4" x 3/8"	RT4-6 GFBN
1/2" x 3/8"	RT8-6 GFBN
5/8" x 3/8"	RT10-6 GFBN
3/4" x 3/8"	RT12-6 GFBN

**Glass-Filled Black Nylon**  
Excellent Tensile Strength & Impact Resistant

Body(2) x Leg (1)	Part Number
3/4" x 1/2"	RT12-8 GFBN
1" x 5/8"	RT16-10 GFBN



## Crosses

ISO 9001

**Black Nylon**  
Good Tensile Strength

Size	Part Number
1/16"	XO-1 BN
3/32"	XO-1.5 BN
1/8"	XO-2 BN
1/4"	XO-4 BN

**Glass-Filled Black Nylon**  
Excellent Tensile Strength & Impact Resistant

Size	Part Number
1/4"	XO-4 GFBN



# Thread To Barb Adaptors

ISO 9001

**Black Nylon**  
Good Tensile Strength

Thread - Barb	Part Number
10-32 UNF x 1/16"	A1032-1 BN
10-32 UNF x 3/32"	A1032-1.5 BN
10-32 UNF x 1/8"	A1032-2 BN
10-32 Taper x 1/16"	A1032T-1 BN
10-32 Taper x 3/32"	A1032T-1.5 BN
10-32 Taper x 1/8"	A1032T-2 BN
1/4-28 UNF x 1/16"	A1428-1 BN
1/4-28 UNF x 3/32"	A1428-1.5 BN
1/4-28 UNF x 1/8"	A1428-2 BN
1/8" NPT x 1/8"	A2-2 BN
1/8" NPT x 5/32"	A2-2.5 BN
1/8" NPT x 3/16"	A2-3 BN
1/8" NPT x 1/4"	A2-4 BN
1/8" NPT x 5/16"	A2-5 BN
1/8" NPT x 3/8"	A2-6 BN
1/4" NPT x 1/8"	A4-2 BN
1/4" NPT x 5/32"	A4-2.5 BN
1/4" NPT x 3/16"	A4-3 BN
1/4" NPT x 1/4"	A4-4 BN

**Black Nylon**  
Good Tensile Strength

Thread - Barb	Part Number
1/4" NPT x 5/16"	A4-5 BN
1/4" NPT x 3/8"	A4-6 BN
1/4" NPT x 1/2"	A4-8 BN
3/8" NPT x 1/4"	A6-4 BN
3/8" NPT x 5/16"	A6-5 BN
3/8" NPT x 3/8"	A6-6 BN
3/8" NPT x 1/2"	A6-8 BN
1/2" NPT x 1/4"	A8-4 BN
1/2" NPT x 3/8"	A8-6 BN
1/2" NPT x 1/2"	A8-8 BN
1/2" NPT x 5/8"	A8-10 BN
1/2" NPT x 3/4"	A8-12 BN
3/4" NPT x 1/4"	A12-4 BN
3/4" NPT x 3/8"	A12-6 BN
3/4" NPT x 1/2"	A12-8 BN
3/4" NPT x 5/8"	A12-10 BN
3/4" NPT x 3/4"	A12-12 BN
3/4" NPT x 1"	A12-16 BN
1" NPT x 1"	A16-16 BN

**Glass-Filled Black Nylon**  
Excellent Tensile Strength & Impact Resistant

Thread - Barb	Part Number
10-32 UNF x 1/16"	GFBN N / A
10-32 UNF x 3/32"	GFBN N / A
10-32 UNF x 1/8"	GFBN N / A
10-32 Taper x 1/16"	GFBN N / A
10-32 Taper x 3/32"	GFBN N / A
10-32 Taper x 1/8"	GFBN N / A
1/4-28 UNF x 1/16"	GFBN N / A
1/4-28 UNF x 3/32"	GFBN N / A
1/4-28 UNF x 1/8"	GFBN N / A
1/8" NPT x 1/8"	A2-2 GFBN
1/8" NPT x 5/32"	A2-2.5 GFBN
1/8" NPT x 3/16"	A2-3 GFBN
1/8" NPT x 1/4"	A2-4 GFBN
1/8" NPT x 5/16"	A2-5 GFBN
1/8" NPT x 3/8"	A2-6 GFBN
1/4" NPT x 1/8"	A4-2 GFBN
1/4" NPT x 5/32"	A4-2.5 GFBN
1/4" NPT x 3/16"	A4-3 GFBN
1/4" NPT x 1/4"	A4-4 GFBN

**Glass-Filled Black Nylon**  
Excellent Tensile Strength & Impact Resistant

Thread - Barb	Part Number
1/4" NPT x 5/16"	A4-5 GFBN
1/4" NPT x 3/8"	A4-6 GFBN
1/4" NPT x 1/2"	A4-8 GFBN
3/8" NPT x 1/4"	A6-4 GFBN
3/8" NPT x 5/16"	A6-5 GFBN
3/8" NPT x 3/8"	A6-6 GFBN
3/8" NPT x 1/2"	A6-8 GFBN
1/2" NPT x 1/4"	A8-4 GFBN
1/2" NPT x 3/8"	A8-6 GFBN
1/2" NPT x 1/2"	A8-8 GFBN
1/2" NPT x 5/8"	A8-10 GFBN
1/2" NPT x 3/4"	A8-12 GFBN
3/4" NPT x 1/4"	A12-4 GFBN
3/4" NPT x 3/8"	A12-6 GFBN
3/4" NPT x 1/2"	A12-8 GFBN
3/4" NPT x 5/8"	A12-10 GFBN
3/4" NPT x 3/4"	A12-12 GFBN
3/4" NPT x 1"	A12-16 GFBN
1" NPT x 1"	A16-16 GFBN



# Thread To Barb Adaptors

ISO 9001

British Standard Pipe Thread

**Black Nylon**  
Good Tensile Strength

Thread - Barb	Part Number
1/8" BSPT x 1/8"	A2B-2 BN
1/8" BSPT x 5/32"	A2B-2.5 BN
1/8" BSPT x 1/4"	A2B-4 BN
1/8" BSPT x 3/8"	A2B-6 BN
1/4" BSPT x 1/8"	A4B-2 BN
1/4" BSPT x 5/32"	A4B-2.5 BN
1/4" BSPT x 3/16"	A4B-3 BN
1/4" BSPT x 1/4"	A4B-4 BN

**Black Nylon**  
Good Tensile Strength

Thread - Barb	Part Number
1/4" BSPT x 5/16"	A4B-5 BN
1/4" BSPT x 3/8"	A4B-6 BN
1/4" BSPT x 1/2"	A4B-8 BN
3/8" BSPT x 1/4"	A6B-4 BN
3/8" BSPT x 5/16"	A6B-5 BN
3/8" BSPT x 3/8"	A6B-6 BN
3/8" BSPT x 1/2"	A6B-8 BN

**Glass-Filled Black Nylon**  
Excellent Tensile Strength & Impact Resistant

Thread - Barb	Part Number
1/8" BSPT x 1/8"	A2B-2 GFBN
1/8" BSPT x 5/32"	A2B-2.5 GFBN
1/8" BSPT x 1/4"	A2B-4 GFBN
1/8" BSPT x 3/8"	A2B-6 GFBN
1/4" BSPT x 1/8"	A4B-2 GFBN
1/4" BSPT x 5/32"	A4B-2.5 GFBN
1/4" BSPT x 3/16"	A4B-3 GFBN
1/4" BSPT x 1/4"	A4B-4 GFBN

**Glass-Filled Black Nylon**  
Excellent Tensile Strength & Impact Resistant

Thread - Barb	Part Number
1/4" BSPT x 5/16"	A4B-5 GFBN
1/4" BSPT x 3/8"	A4B-6 GFBN
1/4" BSPT x 1/2"	A4B-8 GFBN
3/8" BSPT x 1/4"	A6B-4 GFBN
3/8" BSPT x 5/16"	A6B-5 GFBN
3/8" BSPT x 3/8"	A6B-6 GFBN
3/8" BSPT x 1/2"	A6B-8 GFBN



# Threaded Elbows



## Black Nylon Good Tensile Strength

Thread - Barb	Part Number
10-32 UNF x 1/16"	L1032-1 BN
10-32 UNF x 3/32"	L1032-1.5 BN
10-32 UNF x 1/8"	L1032-2 BN
10-32 Taper x 1/16"	L1032T-1 BN
10-32 Taper x 3/32"	L1032T-1.5 BN
10-32 Taper x 1/8"	L1032T-2 BN
1/8" NPT x 1/8"	L2-2 BN
1/8" NPT x 5/32"	L2-2.5 BN
1/8" NPT x 3/16"	L2-3 BN
1/8" NPT x 1/4"	L2-4 BN
1/8" NPT x 5/16"	L2-5 BN
1/8" NPT x 3/8"	L2-6 BN
1/4" NPT x 1/8"	L4-2 BN
1/4" NPT x 5/32"	L4-2.5 BN
1/4" NPT x 3/16"	L4-3 BN
1/4" NPT x 1/4"	L4-4 BN
1/4" NPT x 5/16"	L4-5 BN
1/4" NPT x 3/8"	L4-6 BN

## Black Nylon Good Tensile Strength

Thread - Barb	Part Number
1/4" NPT x 1/2"	L4-8 BN
3/8" NPT x 1/4"	L6-4 BN
3/8" NPT x 5/16"	L6-5 BN
3/8" NPT x 3/8"	L6-6 BN
3/8" NPT x 1/2"	L6-8 BN
1/2" NPT x 1/4"	L8-4 BN
1/2" NPT x 3/8"	L8-6 BN
1/2" NPT x 1/2"	L8-8 BN
1/2" NPT x 5/8"	L8-10 BN
1/2" NPT x 3/4"	L8-12 BN
3/4" NPT x 1/4"	L12-4 BN
3/4" NPT x 3/8"	L12-6 BN
3/4" NPT x 1/2"	L12-8 BN
3/4" NPT x 5/8"	L12-10 BN
3/4" NPT x 3/4"	L12-12 BN
3/4" NPT x 1"	L12-16 BN
1" NPT x 3/4"	L16-12 BN
1" NPT x 1"	L16-16 BN

## Glass-Filled Black Nylon Excellent Tensile Strength & Impact Resistant

Thread - Barb	Part Number
10-32 UNF x 1/16"	GFBN N/A
10-32 UNF x 3/32"	GFBN N/A
10-32 UNF x 1/8"	GFBN N/A
10-32 Taper x 1/16"	GFBN N/A
10-32 Taper x 3/32"	GFBN N/A
10-32 Taper x 1/8"	GFBN N/A
1/8" NPT x 1/8"	L2-2 GFBN
1/8" NPT x 5/32"	L2-2.5 GFBN
1/8" NPT x 3/16"	L2-3 GFBN
1/8" NPT x 1/4"	L2-4 GFBN
1/8" NPT x 5/16"	L2-5 GFBN
1/8" NPT x 3/8"	L2-6 GFBN
1/4" NPT x 1/8"	L4-2 GFBN
1/4" NPT x 5/32"	L4-2.5 GFBN
1/4" NPT x 3/16"	L4-3 GFBN
1/4" NPT x 1/4"	L4-4 GFBN
1/4" NPT x 5/16"	L4-5 GFBN
1/4" NPT x 3/8"	L4-6 GFBN

## Glass-Filled Black Nylon Excellent Tensile Strength & Impact Resistant

Thread - Barb	Part Number
1/4" NPT x 1/2"	L4-8 GFBN
3/8" NPT x 1/4"	L6-4 GFBN
3/8" NPT x 5/16"	L6-5 GFBN
3/8" NPT x 3/8"	L6-6 GFBN
3/8" NPT x 1/2"	L6-8 GFBN
1/2" NPT x 1/4"	L8-4 GFBN
1/2" NPT x 3/8"	L8-6 GFBN
1/2" NPT x 1/2"	L8-8 GFBN
1/2" NPT x 5/8"	L8-10 GFBN
1/2" NPT x 3/4"	L8-12 GFBN
3/4" NPT x 1/4"	L12-4 GFBN
3/4" NPT x 3/8"	L12-6 GFBN
3/4" NPT x 1/2"	L12-8 GFBN
3/4" NPT x 5/8"	L12-10 GFBN
3/4" NPT x 3/4"	L12-12 GFBN
3/4" NPT x 1"	L12-16 GFBN
1" NPT x 3/4"	L16-12 GFBN
1" NPT x 1"	L16-16 GFBN



# Threaded Elbows



British Standard Pipe Thread

## Black Nylon Good Tensile Strength

Thread - Barb	Part Number
1/8" BSPT x 1/8"	L2B-2 BN
1/8" BSPT x 5/32"	L2B-2.5 BN
1/8" BSPT x 1/4"	L2B-4 BN
1/8" BSPT x 5/16"	L2B-5 BN
1/8" BSPT x 3/8"	L2B-6 BN
1/4" BSPT x 1/8"	L4B-2 BN
1/4" BSPT x 5/32"	L4B-2.5 BN
1/4" BSPT x 3/16"	L4B-3 BN

## Black Nylon Good Tensile Strength

Thread - Barb	Part Number
1/4" BSPT x 1/4"	L4B-4 BN
1/4" BSPT x 5/16"	L4B-5 BN
1/4" BSPT x 3/8"	L4B-6 BN
1/4" BSPT x 1/2"	L4B-8 BN
3/8" BSPT x 1/4"	L6B-4 BN
3/8" BSPT x 5/16"	L6B-5 BN
3/8" BSPT x 3/8"	L6B-6 BN
3/8" BSPT x 1/2"	L6B-8 BN

## Glass-Filled Black Nylon Excellent Tensile Strength & Impact Resistant

Thread - Barb	Part Number
1/8" BSPT x 1/8"	L2B-2 GFBN
1/8" BSPT x 5/32"	L2B-2.5 GFBN
1/8" BSPT x 1/4"	L2B-4 GFBN
1/8" BSPT x 5/16"	L2B-5 GFBN
1/8" BSPT x 3/8"	L2B-6 GFBN
1/4" BSPT x 1/8"	L4B-2 GFBN
1/4" BSPT x 5/32"	L4B-2.5 GFBN
1/4" BSPT x 3/16"	L4B-3 GFBN

## Glass-Filled Black Nylon Excellent Tensile Strength & Impact Resistant

Thread - Barb	Part Number
1/4" BSPT x 1/4"	L4B-4 GFBN
1/4" BSPT x 5/16"	L4B-5 GFBN
1/4" BSPT x 3/8"	L4B-6 GFBN
1/4" BSPT x 1/2"	L4B-8 GFBN
3/8" BSPT x 1/4"	L6B-4 GFBN
3/8" BSPT x 5/16"	L6B-5 GFBN
3/8" BSPT x 3/8"	L6B-6 GFBN
3/8" BSPT x 1/2"	L6B-8 GFBN



## Thread To Barb Tees



**Black Nylon**  
Good Tensile  
Strength

Thread - Barb	Part Number
10-32 UNF x 1/16"	T1032-1 BN
10-32 UNF x 3/32"	T1032-1.5 BN
10-32 UNF x 1/8"	T1032-2 BN
10-32 Taper x 1/16"	T1032T-1 BN
10-32 Taper x 3/32"	T1032T-1.5 BN
10-32 Taper x 1/8"	T1032T-2 BN
1/8" NPT x 5/32"	T2-2.5 BN
1/8" NPT x 3/16"	T2-3 BN
1/8" NPT x 1/4"	T2-4 BN
1/8" NPT x 3/8"	T2-6 BN
1/4" NPT x 5/32"	T4-2.5 BN
1/4" NPT x 3/16"	T4-3 BN
1/4" NPT x 1/4"	T4-4 BN
1/4" NPT x 5/16"	T4-5 BN
1/4" NPT x 3/8"	T4-6 BN
1/4" NPT x 1/2"	T4-8 BN
3/8" NPT x 1/4"	T6-4 BN

**Black Nylon**  
Good Tensile  
Strength

Thread - Barb	Part Number
3/8" NPT x 5/16"	T6-5 BN
3/8" NPT x 3/8"	T6-6 BN
3/8" NPT x 1/2"	T6-8 BN
1/2" NPT x 1/4"	T8-4 BN
1/2" NPT x 3/8"	T8-6 BN
1/2" NPT x 1/2"	T8-8 BN
1/2" NPT x 5/8"	T8-10 BN
1/2" NPT x 3/4"	T8-12 BN
3/4" NPT x 1/4"	T12-4 BN
3/4" NPT x 3/8"	T12-6 BN
3/4" NPT x 1/2"	T12-8 BN
3/4" NPT x 5/8"	T12-10 BN
3/4" NPT x 3/4"	T12-12 BN
3/4" NPT x 1"	T12-16 BN
1" NPT x 3/4"	T16-12 BN
1" NPT x 1"	T16-16 BN

**Glass-Filled Black Nylon**  
Excellent Tensile Strength  
& Impact Resistant

Thread - Barb	Part Number
10-32 UNF x 1/16"	GFBN N / A
10-32 UNF x 3/32"	GFBN N / A
10-32 UNF x 1/16"	GFBN N / A
10-32 Taper x 1/16"	GFBN N / A
10-32 Taper x 3/32"	GFBN N / A
10-32 Taper x 1/8"	GFBN N / A
1/8" NPT x 5/32"	T2-2.5 GFBN
1/8" NPT x 3/16"	T2-3 GFBN
1/8" NPT x 1/4"	T2-4 GFBN
1/8" NPT x 3/8"	T2-6 GFBN
1/4" NPT x 5/32"	T4-2.5 GFBN
1/4" NPT x 3/16"	T4-3 GFBN
1/4" NPT x 1/4"	T4-4 GFBN
1/4" NPT x 5/16"	T4-5 GFBN
1/4" NPT x 3/8"	T4-6 GFBN
1/4" NPT x 1/2"	T4-8 GFBN
3/8" NPT x 1/4"	T6-4 GFBN

**Glass-Filled Black Nylon**  
Excellent Tensile Strength  
& Impact Resistant

Thread - Barb	Part Number
3/8" NPT x 5/16"	T6-5 GFBN
3/8" NPT x 3/8"	T6-6 GFBN
3/8" NPT x 1/2"	T6-8 GFBN
1/2" NPT x 1/4"	T8-4 GFBN
1/2" NPT x 3/8"	T8-6 GFBN
1/2" NPT x 1/2"	T8-8 GFBN
1/2" NPT x 5/8"	T8-10 GFBN
1/2" NPT x 3/4"	T8-12 GFBN
3/4" NPT x 1/4"	T12-4 GFBN
3/4" NPT x 3/8"	T12-6 GFBN
3/4" NPT x 1/2"	T12-8 GFBN
3/4" NPT x 5/8"	T12-10 GFBN
3/4" NPT x 3/4"	T12-12 GFBN
3/4" NPT x 1"	T12-16 GFBN
1" NPT x 3/4"	T16-12 GFBN
1" NPT x 1"	T16-16 GFBN



## Thread To Barb Tees



British Standard Pipe Thread

**Black Nylon**  
Good Tensile  
Strength

Thread - Barb	Part Number
1/8" BSPT x 5/32"	T2B-2.5 BN
1/8" BSPT x 1/4"	T2B-4 BN
1/8" BSPT x 3/8"	T2B-6 BN
1/4" BSPT x 5/32"	T4B-2.5 BN
1/4" BSPT x 3/16"	T4B-3 BN
1/4" BSPT x 1/4"	T4B-4 BN
1/4" BSPT x 5/16"	T4B-5 BN

**Black Nylon**  
Good Tensile  
Strength

Thread - Barb	Part Number
1/4" BSPT x 3/8"	T4B-6 BN
1/4" BSPT x 1/2"	T4B-8 BN
3/8" BSPT x 1/4"	T6B-4 BN
3/8" BSPT x 5/16"	T6B-5 BN
3/8" BSPT x 3/8"	T6B-6 BN
3/8" BSPT x 1/2"	T6B-8 BN

**Glass-Filled Black Nylon**  
Excellent Tensile Strength  
& Impact Resistant

Thread - Barb	Part Number
1/8" BSPT x 5/32"	T2B-2.5 GFBN
1/8" BSPT x 1/4"	T2B-4 GFBN
1/8" BSPT x 3/8"	T2B-6 GFBN
1/4" BSPT x 5/32"	T4B-2.5 GFBN
1/4" BSPT x 3/16"	T4B-3 GFBN
1/4" BSPT x 1/4"	T4B-4 GFBN
1/4" BSPT x 5/16"	T4B-5 GFBN

**Glass-Filled Black Nylon**  
Excellent Tensile Strength  
& Impact Resistant

Thread - Barb	Part Number
1/4" BSPT x 3/8"	T4B-6 GFBN
1/4" BSPT x 1/2"	T4B-8 GFBN
3/8" BSPT x 1/4"	T6B-4 GFBN
3/8" BSPT x 5/16"	T6B-5 GFBN
3/8" BSPT x 3/8"	T6B-6 GFBN
3/8" BSPT x 1/2"	T6B-8 GFBN

